APPLICANT(S): GILAD, Zvika et al. SERIAL NO.: 10/540,890 February 23, 2006 Page 2

## AMENDMENTS TO THE CLAIMS

Please amend the claims as follows, and please cancel the claims marked as cancelled without prejudice to their filing in a continuation or divisional application.

- (Currently Amended) An autonomous in vivo sensing device comprising:
  - a sensor: [[and]]
  - a degradable immobilizer; and

a processor internal to the device to control said immobilizer attached to the device, said sensing device sensor to collect data relating to changes—in an in-vivo environmental conditions condition while said sensing device passively traverses the gastrointestinal tract, said sensing device to transmit said data to said processor, wherein said processor is to issue a signal triggered in response to said sensor sensing data related to a change in the environmental condition, wherein said signal issued by said internal processor within the device activates [[and]] said immobilizer capable of being activated in response to an environmental condition related to said data.

- 2. (Cancelled)
- 3. (Cancelled)
- 4. (Cancelled)
- 5. (Previously Presented) The device as in claim 1, wherein said immobilizer is capable of degrading upon exposure to in vivo conditions.
- 6. (Canceled)
- 7. (Previously Presented) The device as in claim 1, wherein said sensor comprises an imager.
- 8. (Original) The device as in claim 1, wherein said immobilizer comprises an anchor.
- 9. (Original) The device as in claim 8, wherein said anchor is a pointed anchor.
- (Original) The device as in claim 1, wherein said immobilizer comprises a spring.
- 11. (Original) The device as in claim 10, wherein said spring is releasably attached to a fuse.

APPLICANT(S): SERIAL NO.: FILED: GILAD, Zvika et al.

10/540,890 February 23, 2006

Page 3

12. (Original) The device as in claim 1, wherein said immobilizer comprises a composition delivery unit.

- 13. (Original) The device as in claim 12, wherein said composition comprises a drug.
- 14. (Withdrawn) The device as in claim 1, wherein said immobilizer comprises a gripper and an actuator.
- 15. (Withdrawn) The device as in claim 14, wherein said gripper is to remove a sample of said tissue.
- 16. (Original) The device as in claim 1, comprising a power source.
- 17. (Currently Amended) An autonomous in vivo capsule comprising:
  - a sensor; [[and]]
    - a degradable immobilization unit; and

a processor internal to the capsule to control said immobilization unit attached to the capsule, said sensing device sensor to collect data relating to changes in an in-vivo environmental condition while said capsule passively traverses the gastrointestinal tract, said sensing device capsule to transmit said data to said processor, wherein said processor is to issue a signal in response to said sensor sensing data related to a change in the environmental condition, wherein said signal issued by said internal processor within the capsule activates [[and]] said immobilization unit attached to the capsule capsule of being activated in response to a signal to stop the passive motion of the capsule, wherein said signal is issued in response to an environmental condition related to said data.

- 18. (Cancelled)
- 19. (Original) The capsule as in claim 17, comprising an anchor.
- 20. (Previously Presented) The capsule as in claim 17, said sensor comprising an imager.
- 21. (Cancelled)
- 22. (Currently Amended) A method of monitoring an in vivo site, the method comprising:

sensing, in an in-vivo device, data relating to a—change—in <u>an</u> in-vivo environmental eenditions <u>condition</u> while <u>said device passively traverses the</u> gastrointestinal tract;

APPLICANT(S): GILAD, Zvika et al. SERIAL NO.: 10/540,890 FILED: February 23, 2006 Page 4

## transmitting said data;

generating issuing a signal in response to <u>said sensed data related to a change in</u>
the [[an]] environmental condition related to said data, <u>said signal issued by an</u>
internal processor disposed within the device to activate a degradable immobilizer
attached to the in-vivo device:

immobilizing said device proximate to an in vivo site to be monitored <u>in response</u>
to issuing said signal to stop the passive motion of the device; and
monitoring said in vivo site with said device.

23. (Original) The method as in claim 22, wherein said immobilizing comprises bringing

an immobilizer into contact with an endo-luminal tissue.

- 24. (Original) The method as in claim 22, wherein said immobilizing comprises releasing a spring holding said immobilizer.
- 25. (Original) The method as in claim 24, wherein said releasing a spring comprises burning a fuse holding said spring.
- 26. (Original) The method as in claim 22, comprising releasing a composition into said in vivo site.
- 27. (Withdrawn) The method as in claim 22, wherein said immobilizing comprises gripping an endo-luminal tissue.
- 28. (Withdrawn) The method of claim 27, comprising removing a sample of said endoluminal tissue with a gripper.
- 29. (Original) The method as in claim 22, comprising freeing said device from said in vivo site.
- 30. (Original) The method as in claim 29, wherein said freeing comprises degrading an immobilizer.
- 31. (Original) The method as in claim 22, wherein said immobilizing said device comprises transiently immobilizing said device.
- 32. (Original) The method as in claim 22, wherein said monitoring comprises capturing images of said in vivo site.
- 33. (Currently Amended) A method for immobilizing an autonomous in vivo device comprising:

APPLICANT(S): GILAD, Zvika et al.
SERIAL NO.: 10/540,890
FILED: February 23, 2006
Page 5

sensing, at an in-vivo device, data relating to a change in an in-vivo environmental conditions condition while said device passively traverses the gastrointestinal tract;

transmitting said data; and

generating issuing a signal triggered in response to <u>said sensed data related to a change in the</u> [[an]]environmental condition related to <u>said data</u>, <u>said signal issued by an internal processor within the device</u> to activate a degradable immobilizer attached to said in-vivo device to stop the passive motion of the device.

- 34. (Previously Presented) The method as in claim 33, comprising immobilizing said device proximate to an in vivo site to be monitored.
- 35. (Currently Amended) An in vivo sensing system comprising:

an immobilizable housing;

- a sensor attached <u>internal</u> to said housing <u>to collect data relating to in-vivo</u> <u>environmental condition while said housing passively traverses the gastrointestinal</u> tract: and
- a controller <u>internal to said housing to issue a signal in response to data from the sensor indicating a change in the environmental condition, wherein said signal is <u>issued by said internal controller within said housing to activate a degradable immobilization unit [[of]] attached to said housing to stop the passive motion of the housing in response to an environmental condition detected by said sensor.</u></u>
- 36. (Original) The system as in claim 35, wherein said sensor is an imager.
- 37. (Currently Amended) The system as in claim 35, wherein said immobilizable immobilization unit comprises a pointed anchor.
- 38. (Original) The system as in claim 35, comprising a transmitter.